BID ADDENDUM 7 – DSA ADDENDUM NO. 14 DATE: 10/20/2026
Reissued Hardware Schedule

PROJECT:
SANGER EDUCATION COMPLEX – PHASE 3b
Development of Building L, associated site development work and Alternate Bid 1
1850 S. Fowler Ave, Fresno, CA 93727



OWNER:
SANGER UNIFIED SCHOOL DISTRICT
1905 Seventh Street
Sanger, CA 93657

ARCHITECT:
DARDEN ARCHITECTS, INC.
Attention: Mike Fennacy
6790 N. West Avenue
Fresno, California 93711
T. (559) 448-8051
F. (559) 446-1765

DARDEN PROJECT NO. 2171.L
DSA APPL. NO. 02-120779

It will be the responsibility of the General Contractor to submit the information contained in this addendum to all its subcontractors and suppliers. Acknowledge receipt of this Addendum in the space provided on the Bid Form. Failure to do so may subject Bidder to disqualification.

The following additions, deletions, and revisions to the SHEETS and Project Manual are hereby made and do become a part of these Contract Documents.

INDEX OF ADDENDA TRANSMITTED HEREWITH


CHANGES TO SPECIFICATIONS
SPECIFICATIONS AD14-SP01

SPECIFICATIONS:
08 70 00.01 – HARDWARE SCHEDULE (AD12, REISSUED) ..... 43 pages

CHANGES TO SPECIFICATIONS:

AD14-SP01 Refer to Section 08 70 00.01 – HARDWARE SCHEDULE (AD12), issued with Addendum 12, Item AD12-SP05.

1. Portions of Section 08 70 00.01 – HARDWARE SCHEDULE, as published with Addendum 12, contained garbled text that was unreadable. The Hardware Group headings were affected, as shown in the following example from the published Addendum 12 copy (highlighted line):



Example: Addendum 12, Hardware Group 70 (ND70PD classroom lock). The Hardware Group heading line printed as unreadable characters.

2. Omit Section 08 70 00.01 – HARDWARE SCHEDULE (AD12) and replace it with the attached Section 08 70 00.01 – HARDWARE SCHEDULE, reissued with this Addendum. The purpose of this reissue is to correct the unreadable text so that each Hardware Group heading, and the hardware listed under it, can be read and priced. The content of the Section is unchanged from Addendum 12. Item AD12-SP05 remains in effect.

END OF ADDENDUM NO. 14

SECTION 08 70 00.01 – HARDWARE SCHEDULE

1.1 SCHEDULES

A. The items listed in the following schedule shall conform to the requirements of the foregoing specifications.

B. The Door Schedule on the Drawings indicates which hardware set is used with each door.

Manufacturers Abbreviations (Mfr.)

GLY	=	Glynn-Johnson Corporation	Overhead Door Stops
GRR	=	Grainger	Magnetic Door Holder
HAG	=	Hagar	Continuous Hinges
IVE	=	Ives	Hinges, Pivots, Bolts, Coordinators, Dust Proof Strikes, Push-Pull & Kick Plates, Door Stops & Silencers
LOC	=	Locinox	Gate closers
NGP	=	National Guard Products	Thresholds, Gasketing & Weather-stripping
NOR	=	Norton	Door closers
PEM	=	Pemko	Thresholds, Gasketing & Weather-stripping
SCE	=	Schlage Electronics	Electronic Door Components
SCH	=	Schlage Lock Company	Locks, Latches & Cylinders; Accessible Levers: Schlage Sparta Levers.
TRI	=	Trimco	ADA Pocket Door Pulls & Flush Pulls
VON	=	Von Duprin	Exit Devices
ZER	=	Zero	Smoke Seals & Weatherstripping


© Darden Architects, Inc.

Schlage ANSI

ND10S **F75**

Passage latch

- Both levers always unlocked.



NOTE: Hardware Groups shown in gray are not used in this Project and are included for reference only. Refer to the Hardware Group Opening Schedule at the end of this Section for the Hardware Groups used in Building L and their openings.

HARDWARE GROUP NO. 10 – PASSAGE LATCH - INTERIOR / VESTIBULES

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	PASSAGE SET	ND10S SPA	626	SCH
1	EA	FLOOR STOP	FS18S	BLK	IVE
3	EA	SILENCER (see note)	SR64	GRY	IVE

HARDWARE GROUP NO. 10-A – ACOUSTICAL, PASSAGE LATCH - INTERIOR / VESTIBULES

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	PASSAGE SET	ND10S SPA	626	SCH
1	EA	FLOOR STOP	FS18S	BLK	IVE
3	EA	ACOUSTICAL GASKETING	350CSR	-	PEM
1	EA	AUTO DOOR BOTTOM	411ASL	-	PEM

HARDWARE GROUP NO. 10C – PASSAGE LATCH - INTERIOR / VESTIBULES

EACH TO HAVE:


QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	PASSAGE SET	ND10S SPA	626	SCH
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
3	EA	SILENCER	SR64	GRY	IVE

HARDWARE GROUP NO. 10E – PASSAGE LATCH - EXTERIOR / ROOF DOORS

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
2	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	630	IVE
1	EA	PASSAGE SET	ND10S SPA	626	SCH
1	EA	**LOCK GUARD**	LG12	630	IVE
1	EA	WEATHERSTRIPPING	188S-BK	S-BK	ZER
1	EA	WALL STOP / HOLDER	FS42 W/ 1268 TRIMCO PLATE ANCHOR	626	IVES
1	EA	DOOR BOTTOM	216AFG	AL	PEM
1	EA	DOOR BOTTOM SWEEP	345A	AL	PEM

Schlage ANSI
ND40S **F76**
Bath/bedroom privacy lock
- Push-button locking.
- Can be opened from outside with a small screwdriver.
- Turn inside lever or close door to release button.



HARDWARE GROUP NO. 40 - INTERIOR / INFIRMARY TOILET, COACH RR

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	PRIVACY LOCK	ND40S SPA	626	SCH
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP	FS18S	BLK	IVE
3	EA	SILENCER	SR64	GRY	IVE

HARDWARE GROUP NO. 40C - INTERIOR / INFIRMARY TOILET, COACH RR

EACH TO HAVE:


QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	PRIVACY LOCK	ND40S SPA	626	SCH
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
3	EA	SILENCER	SR64	GRY	IVE
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
3	EA	SILENCER	SR64	GRY	IVE
1	EA	SURFACE CLOSER	7500M	689	NOR

Schlage ANSI

ND50PD F82

Entrance/office lock

- Push-button locking.
- Push-button locks outside lever until it is unlocked with key or by turning inside lever.



HARDWARE GROUP NO. 50-A – OFFICE LOCK – INTERIOR/OFFICE/CONFERENCE

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	ENTRANCE/OFFICE LOCK	ND50PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP	FS18S	BLK	IVE
3	EA	ACOUSTICAL GASKETING	319CN	-	PEM
1	EA	AUTO DOOR BOTTOM	411ASL	-	PEM

HARDWARE GROUP NO. 50C – OFFICE LOCK – INTERIOR/OFFICE/CONFERENCE WITH CLOSER

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	ENTRANCE/OFFICE LOCK	ND50PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
3	EA	SILENCER	SR64	GRY	IVE
1	EA	SURFACE CLOSER	7500M	689	NOR

HARDWARE GROUP NO. 50R – OFFICE LOCK - RATED INTERIOR/OFFICE/CONFERENCE

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	ENTRANCE/OFFICE LOCK	ND50PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP	FS18S	BLK	IVE
1	EA	SMOKE SEALS	188S-BK	S-BK	ZER
1	EA	SURFACE CLOSER	7500M	689	NOR

© Darden Architects, Inc.

HARDWARE GROUP NO. 50E-S – OFFICE LOCK - EXTERIOR STOREFRONT/OFFICE/CONFERENCE


EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	CONT. HINGE	224HD	AL	IVE
1	EA	ENTRANCE/OFFICE LOCK	ND50PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	SURFACE CLOSER	7500M OUTSWING	689	NOR
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
1	SET	WEATHER SEAL	SUPPLY WITH DOOR AND FRAME ASSEMBLY		
1	EA	DOOR BOTTOM	222APK	AL	PEM
1	EA	THRESHOLD	196A-228A-195A (SEE DETAILS)		

Schlage	ANSI
ND66PD	**F91**

Store lock†

- Key in either lever locks or unlocks both levers.



HARDWARE GROUP NO. 66 – STORE LOCK - INTERIOR / COMMUNICATING DOOR

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	DBL CYL STORE LOCK	ND66PD SPA	626	SCH
2	EA	FSIC CORE	23-030	626	SCH
1	EA	FLOOR STOP	FS18S	BLK	IVE
3	EA	SILENCER	SR64	GRY	IVE

HARDWARE GROUP NO. 66-AA STORE LOCK WITH ACOUSTICAL DOUBLE GASKETS

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	STOREROOM LOCK	ND66PD SPA	626	SCH
2	EA	FSIC CORE	23-030	626	SCH
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
3	EA	ACOUSTICAL GASKETING	S773 (MATCH FRAME PAINT)	-	PEM
3	EA	ACOUSTICAL GASKETING	S44 (MATCH FRAME PAINT)	-	PEM
1	EA	AUTO DOOR BOTTOM	360AA	-	ZERO
1	EA	SADDLE THRESHOLD	151 (verify color)	-	PEM
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

HARDWARE GROUP NO. 66C – STORE LOCK - INTERIOR / COMMUNICATING DOOR

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	DBL CYL STORE LOCK	ND66PD SPA	626	SCH
2	EA	FSIC CORE	23-030	626	SCH
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
3	EA	SILENCER	SR64	GRY	IVE
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

HARDWARE GROUP NO. 66R – STORE LOCK - RATED INTERIOR / COMMUNICATING

EACH TO HAVE:


QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	DBL CYL STORE LOCK	ND66PD SPA	626	SCH
2	EA	FSIC CORE	23-030	626	SCH
1	EA	FLOOR STOP	FS18S	BLK	IVE
1	EA	SMOKE SEALS	188S-BK	S-BK	ZER
1	EA	SURFACE CLOSER	7500M	689	NOR`
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

Schlage ANSI

ND70PD F84

Classroom lock

- Outside lever locked and unlocked by key.
- Inside lever always unlocked.



HARDWARE GROUP NO. 70 – CLASSROOM LOCK - INTERIOR / OFFICE VESTIBULE

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	CLASSROOM LOCK	ND70PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	FLOOR STOP	FS18S	BLK	IVE
3	EA	SILENCER	SR64	GRY	IVE

HARDWARE GROUP NO. 70C-A – CLASSROOM LOCK - INTERIOR / LIGHT DUTY ACOUSTICAL

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	CLASSROOM LOCK	ND70PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
3	EA	ACOUSTICAL GASKETING	350CSR	-	PEM
1	EA	AUTO DOOR BOTTOM	411ASL	-	PEM

HARDWARE GROUP NO. 70-AA - CLASSROOM LOCK WITH ACOUSTICAL DOUBLE GASKETS

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	CLASSROOM LOCK	ND70PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	FLOOR STOP	FS18S	BLK	IVE
3	EA	ACOUSTICAL GASKETING	319CN	-	PEM
3	EA	ACOUSTICAL GASKETING	S44 (MATCH FRAME PAINT)	-	PEM
1	EA	AUTO DOOR BOTTOM	412CSL	-	PEM
1	EA	SADDLE THRESHOLD	151 (verify color)	-	PEM
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

HARDWARE GROUP NO. 70AXD – CLASSROOM LOCK - INTERIOR / HEAVY DUTY ACOUSTICAL

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	CLASSROOM LOCK	ND70PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
3	EA	ACOUSTICAL GASKETING	350CSR	-	PEM
1	EA	DOOR BOTTOM GASKETING	4301CPKL	-	PK
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	THRESHOLD	196A-228A-195A (SEE DETAILS)		
			BALANCE OF HARDWARE BY DOOR MANUFACTURER		

HARDWARE GROUP NO. 70ADF – ACOUSTICAL DOOR AND FRAME WITH CLASSROOM LOCK

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	CLASSROOM LOCK	ND70PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
1	EA	SURFACE CLOSER	7500M	689	NOR
			BALANCE OF HARDWARE BY DOOR MANUFACTURER		

NOTES:
Hinges, Sound Seals, and Auto Door Bottom provided by Acoustical Door Mfg.
Prepare the door for a 3-3/4" lock backset.
Use the Door Mfg "Z" Bracket for the parallel mount closer.
Coordinate the Z-Bracket and lock backset with the Acoustical Supplier/installer.

HARDWARE GROUP NO. 70C – CLASSROOM LOCK - INTERIOR / MULTI-STALL RESTROOM / DRESSING / EXAM / WAITING

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	CLASSROOM LOCK	ND70PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
3	EA	SILENCER	SR64	GRY	IVE
1	EA	SURFACE CLOSER	7500M	689	NOR

HARDWARE GROUP NO. 70IR – INTERIOR RESTROOM, UNISEX BATHROOM LOCK WITH INDICATOR

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	630	IVE
1	EA	FAC RESTRM W/IND CYL	ND70PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	**EA**	**DEADBOLT**	**B571 WITH IN-USE INDICATOR**	**626**	**SCH**
1	EA	SURFACE CLOSER	7500M OUTSWING	689	NOR
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
1	EA	WEATHERSTRIPPING	188S-BK	S-BK	ZER
3	EA	SILENCER	SR64	GRY	IVE
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

HARDWARE GROUP NO. 70ER – EXTERIOR RESTROOM, UNISEX BATHROOM LOCK WITH INDICATOR

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	CONT. HINGE	224HD	628	IVE
1	EA	FAC RESTRM W/IND CYL	ND70PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	**EA**	**DEADBOLT**	**B571 WITH IN-USE INDICATOR**	**626**	**SCH**
1	EA	LOCK GUARD	LG12	630	IVE
1	EA	SURFACE CLOSER	7500M OUTSWING	689	NOR
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
1	EA	WEATHERSTRIPPING	188S-BK	S-BK	ZER
1	EA	DOOR BOTTOM	222APK	AL	PEM
1	EA	THRESHOLD	196A-228A-195A (SEE DETAILS)		
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

HARDWARE GROUP NO. 70E – CLASSROOM LOCK - EXTERIOR / MULTI-STALL RESTROOM

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	CONT. HINGE	224HD	628	IVE
1	EA	CLASSROOM LOCK	ND70PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	**LOCK GUARD**	LG12	630	IVE
1	EA	SURFACE CLOSER	7500M OUTSWING	689	NOR
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
1	EA	WEATHERSTRIPPING	188S-BK	S-BK	ZER
1	EA	DOOR BOTTOM	222APK	AL	PEM
1	EA	THRESHOLD	196A-228A-195A (SEE DETAILS)		

HARDWARE GROUP NO. 70R – CLASSROOM LOCK - RATED INTERIOR / MULTI-STALL RESTROOM / VESTIBULE

QTY		DESCRIPTION		CATALOG NUMBER	
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	CLASSROOM LOCK	ND70PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP	1214CK & 1268CK	626	TRI
1	EA	SMOKE SEALS	188S-BK	S-BK	ZER

HARDWARE GROUP NO. 70S – CLASSROOM LOCK - INTERIOR STOREFRONT DOOR

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	CLASSROOM LOCK	ND70PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP	FS18S	BLK	IVE
1	EA	WEATHERSTRIPPING	188S-BK	S-BK	ZER

HARDWARE GROUP NO. 702C – CLASSROOM LOCK - INTERIOR PAIR / STORAGE

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
6	EA	HW HINGE	5BB1HW 5 X 4.5 NRP	630	IVE
1	SET	AUTO FLUSH BOLT	FB41P	630	IVE
1	EA	DUSTPROOF STRIKE	DP2	626	IVE
1	EA	STOREROOM LOCK	ND70PD SPA 14-042 ANTI-FRICTION LATCH	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	COORDINATOR	COR X FL	628	IVE
2	EA	MOUNTING BRACKET	MB	689	IVE
2	EA	SURFACE CLOSER	7500M	689	NOR
2	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
2	EA	SILENCER	SR64	GRY	IVE
1	EA	MEETING STILE	328AA	AA	ZER

HARDWARE GROUP NO. 702R – CLASSROOM LOCK - RATED INTERIOR PAIR


QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
6	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	SET	AUTO FLUSH BOLT	FB41P	630	IVE
1	EA	DUSTPROOF STRIKE	DP2	626	IVE
1	EA	CLASSROOM LOCK	ND70PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	COORDINATOR	COR X FL	628	IVE
2	EA	MOUNTING BRACKET	MB	689	IVE
2	EA	SURFACE CLOSER	7500M	689	NOR
2	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
2	EA	FLOOR STOP	FS18S	BLK	IVE

Schlage ANSI

ND73PD **F90**

Corridor lock

- Locked or unlocked by key from outside.
- Push-button locking from inside.
- Turn inside lever or close door to release button.
- When outside lever is locked by key it can only be unlocked by key.
- Inside lever is always unlocked.



HARDWARE GROUP NO. 73 – CORRIDOR LOCK

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	CORRIDOR LOCK	ND73PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP	FS18S	BLK	IVE
3	EA	SILENCER	SR64	GRY	IVE

HARDWARE GROUP NO. 73-A – OFFICE LOCK – INTERIOR/OFFICE/CONFERENCE


EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	ENTRANCE/OFFICE LOCK	ND73PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP	FS18S	BLK	IVE
3	EA	ACOUSTICAL GASKETING	319CN	-	PEM

HARDWARE GROUP NO. 73C – CORRIDOR LOCK WITH CLOSER

EACH TO HAVE:

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	CORRIDOR LOCK	ND73PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
3	EA	SILENCER	SR64	GRY	IVE
1	EA	SURFACE CLOSER	7500M	689	NOR



HARDWARE GROUP NO. 78 – CLASSROOM SECURITY LOCK – INTERIOR CLASSROOMS

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	CLASSROOM SECURITY	ND78PD SPA XN12-035	626	SCH
2	EA	FSIC CORE	23-030	626	SCH
1	EA	FLOOR STOP	FS18S	BLK	IVE
3	EA	SILENCER	SR64	GRY	IVE

HARDWARE GROUP NO. 78C – CLASSROOM SECURITY LOCK - INTERIOR / CLASSROOM

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	CLASSROOM SECURITY	ND78PD SPA XN12-035	626	SCH
2	EA	FSIC CORE	23-030	626	SCH
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
3	EA	SILENCER	SR64	GRY	IVE
1	EA	SURFACE CLOSER	7500M	689	NOR

HARDWARE GROUP NO. 78C-K - CLASSROOM SECURITY LOCK - INTERIOR / KITCHEN

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	CLASSROOM SECURITY	ND78PD SPA XN12-035	626	SCH
2	EA	FSIC CORE	23-030	626	SCH
1	EA	WALL STOP / HOLDER	WS40	626	IVES
3	EA	SILENCER	SR64	GRY	IVE
1	EA	SURFACE CLOSER	7500M	689	NOR

HARDWARE GROUP NO. 78E – CLASSROOM SECURITY LOCK - EXTERIOR / CLASSROOM

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	CONT. HINGE	224HD	628	IVE
1	EA	CLASSROOM SECURITY	ND78PD SPA XN12-035	626	SCH
2	EA	FSIC CORE	23-030	626	SCH
1	EA	**LOCK GUARD**	LG12	630	IVE
1	EA	SURFACE CLOSER	7500M OUTSWING	689	NOR

© Darden Architects, Inc.

1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
1	EA	WEATHERSTRIPPING	188S-BK	S-BK	ZER
1	EA	DOOR BOTTOM	222APK	AL	PEM
1	EA	THRESHOLD	196A-228A-195A (SEE DETAILS)		


HARDWARE GROUP NO. 78R – CLASSROOM SECURITY LOCK - RATED INTERIOR / CLASSROOMS

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	CLASSROOM SECURITY	ND78PD SPA XN12-035	626	SCH
2	EA	FSIC CORE	23-030	626	SCH
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP	FS18S	BLK	IVE
1	EA	SMOKE SEALS	188S-BK	S-BK	ZER

Schlage	ANSI
ND80PD	**F86**

Storeroom lock

- Outside lever is fixed.
- Entrance by key only.
- Inside lever always unlocked.



HARDWARE GROUP NO. 80 – STOREROOM LOCK - INTERIOR STORAGE, TECHNOLOGY IDF, EQUIPMENT, JANITOR

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	STOREROOM LOCK	ND80PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP	FS18S	BLK	IVE
3	EA	SILENCER	SR64	GRY	IVE

HARDWARE GROUP NO. 80-A – STOREROOM LOCK - INTERIOR MECHANICAL CLOSET, SOUND GASKETS

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
4	EA	HW HINGE	5BB1HW 5 X 4.5 NRP	652	IVE
1	EA	STOREROOM LOCK	ND80PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	FLOOR STOP	FS18S	BLK	IVE
3	EA	ACOUSTICAL GASKETING	350CSR	-	PEM
1	EA	AUTO DOOR BOTTOM	4301CPKL, SURFACE APPLIED	-	PEM

HARDWARE GROUP NO. 80-AA - STOREROOM LOCK WITH ACOUSTICAL DOUBLE GASKETS

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
4	EA	HW HINGE	5BB1HW 5 X 4.5 NRP	652	IVE
1	EA	STOREROOM LOCK	ND80PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	FLOOR STOP	FS18S	BLK	IVE
3	EA	ACOUSTICAL GASKETING	S773 (MATCH FRAME PAINT)	-	PEM
3	EA	ACOUSTICAL GASKETING	S44 (MATCH FRAME PAINT)	-	PEM
1	EA	AUTO DOOR BOTTOM	412CSL	-	PEM
1	EA	SADDLE THRESHOLD	151 (verify color)	-	PEM
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

HARDWARE GROUP NO. 80-AD – EXTERIOR HOLLOW METAL ACCESS DOOR

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
2	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	STOREROOM LOCK	ND80PD SPA	626	SCH

1	EA	FSIC CORE	23-030	626	SCH
1	EA	LOCK GUARD	LG12	630	IVE
1	EA	WEATHERSTRIPPING	188S-BK	S-BK	ZER
1	EA	DOOR HEAD SWEEP	345A (SECURE TO HM FRAME)	AL	PEM
1	EA	DOOR BOTTOM	216AFG	AL	PEM

HARDWARE GROUP NO. 80C – STOREROOM LOCK - INTERIOR STORAGE, WATER HEATER, JANITOR, ELEVATOR, ELECTRICAL

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	STOREROOM LOCK	ND80PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
3	EA	SILENCER	SR64	GRY	IVE

HARDWARE GROUP NO. 80E – STOREROOM LOCK - EXTERIOR ELEVATOR, EQUIPMENT

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	CONT. HINGE	224HD	AL	IVE
1	EA	STOREROOM LOCK	ND80PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	**LOCK GUARD**	LG12	630	IVE
1	EA	SURFACE CLOSER	7500M OUTSWING	689	NOR
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
1	EA	WEATHERSTRIPPING	188S-BK	S-BK	ZER
1	EA	DOOR BOTTOM	222APK	AL	PEM
1	EA	THRESHOLD	196A-228A-195A (SEE DETAILS)		

HARDWARE GROUP NO. 80P – SINGLE DOOR AT POOL CHEMICAL ROOMS

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	630	IVE
1	EA	STOREROOM LOCK	ND80PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
3	EA	SILENCER	SR64	GRY	IVE
0	EA	LESS DOOR BOTTOM	¾" UNDERCUT FOR DRAINAGE		

HARDWARE GROUP NO. 802P – PAIR OF DOORS AT POOL CHEMICAL ROOMS

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
6	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	SET	AUTO FLUSH BOLT	FB41P	630	IVE
1	EA	DUSTPROOF STRIKE	DP2	626	IVE
1	EA	STOREROOM LOCK	ND80PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
2	EA	MOUNTING BRACKET	MB	689	IVE
2	EA	SURFACE CLOSER	7500M OUTSWING	689	NOR
2	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
2	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
6	EA	SILENCER	SR64	GRY	IVE
1	EA	MEETING STILE	328AA	AA	ZER
0	EA	LESS DOOR BOTTOM	¾" UNDERCUT FOR DRAINAGE		

HARDWARE GROUP NO. 80R – STOREROOM LOCK - RATED INTERIOR / STORAGE, WATER HEATER, JANITOR, ELEVATOR, ELECTRICAL

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	STOREROOM LOCK	ND80**PD** SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP	FS18S	BLK	IVE
1	EA	SMOKE SEALS	188S-BK	S-BK	ZER

HARDWARE GROUP NO. 80R-A – STOREROOM LOCK - INTERIOR CLOSET WITH SOUND GASKETS

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	STOREROOM LOCK	ND80**PD** SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP	FS18S	BLK	IVE
1	EA	SMOKE SEALS	188S-BK	S-BK	ZER

HARDWARE GROUP NO. 802 – STOREROOM LOCK - INTERIOR PAIR / MECHANICAL CLOSET

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
6	EA	HW HINGE	5BB1HW 5 X 4.5 NRP	630	IVE
1	SET	AUTO FLUSH BOLT	FB41P	630	IVE
1	EA	DUSTPROOF STRIKE	DP2	626	IVE
1	EA	STOREROOM LOCK	ND80PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	COORDINATOR	COR X FL	628	IVE
2	EA	MOUNTING BRACKET	MB	689	IVE
2	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
2	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
2	EA	SILENCER	SR64	GRY	IVE
1	EA	MEETING STILE	328AA	AA	ZER

HARDWARE GROUP NO. 802A – STOREROOM LOCK - INTERIOR MECHANICAL CLOSET, SOUND GASKETS

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
8	EA	HW HINGE	5BB1HW 5 X 4.5 NRP	630	IVE
1	SET	AUTO FLUSH BOLT	FB41P	630	IVE
1	EA	DUSTPROOF STRIKE	DP2	626	IVE
1	EA	STOREROOM LOCK	ND80PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	COORDINATOR	COR X FL	628	IVE
2	EA	MOUNTING BRACKET	MB	689	IVE
2	EA	DOOR STOP	FS18S	BLK	IVE
1	SET	PERIMETER SEALS	770	AA	ZER
1	SET	MEETING STILE	1840/41 ASTRAGALS	AA	ZER
2	EA	AUTO DOOR BOTTOM	360AA	AA	ZER

DOOR STOP NOTE: Drill 1 ½" Diameter x 2 1'2" deep hole and set into Non-Shrink Grout

HARDWARE GROUP NO. 802C – STOREROOM LOCK - INTERIOR PAIR / MECHANICAL CLOSET

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
6	EA	HW HINGE	5BB1HW 5 X 4.5 NRP	630	IVE
1	SET	AUTO FLUSH BOLT	FB41P	630	IVE
1	EA	DUSTPROOF STRIKE	DP2	626	IVE
1	EA	STOREROOM LOCK	ND80PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	COORDINATOR	COR X FL	628	IVE
2	EA	MOUNTING BRACKET	MB	689	IVE
2	EA	SURFACE CLOSER	7500M	689	NOR
2	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
2	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
2	EA	SILENCER	SR64	GRY	IVE
1	EA	MEETING STILE	328AA	AA	ZER

HARDWARE GROUP NO. 802E – STOREROOM LOCK - EXTERIOR PAIR / MECHANICAL CLOSET

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
2	EA	CONT. HINGE	224HD	AL	IVE
1	SET	AUTO FLUSH BOLT	FB41P	630	IVE
1	EA	DUSTPROOF STRIKE	DP2	626	IVE
1	EA	STOREROOM LOCK	ND80PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	**LOCK GUARD**	LG12	630	IVE
1	EA	COORDINATOR	COR X FL	628	IVE
2	EA	MOUNTING BRACKET	MB	689	IVE
2	EA	SURFACE CLOSER	7500M OUTSWING	689	NOR
2	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
2	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES

HARDWARE GROUP NO. 802R – STOREROOM LOCK - RATED INTERIOR PAIR / STORAGE


QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
6	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	SET	AUTO FLUSH BOLT	FB41P	630	IVE
1	EA	DUSTPROOF STRIKE	DP2	626	IVE
1	EA	STOREROOM LOCK	ND80PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	COORDINATOR	COR X FL	628	IVE
2	EA	MOUNTING BRACKET	MB	689	IVE
2	EA	SURFACE CLOSER	7500M OUTSWING	689	NOR
2	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
2	EA	FLOOR STOP	FS18S	BLK	IVE
1	EA	SMOKE SEALS	188S-BK	S-BK	ZER
1	EA	MEETING STILE	328AA	AA	ZER

Schlage ANSI

ND85PD -

Faculty restroom lock

- Outside lever is fixed.
- Entrance by key only.
- Push-button in inside lever activates visual occupancy indicator, allowing only emergency master key to operate.
- Turn inside lever or close door to release visual occupancy indicator.
- Rotation of inside spinner-button provides lock-out feature by keeping indicator thrown.



HARDWARE GROUP NO. 85 – FACULTY RESTROOM LOCK – INTERIOR/FACULTY RESTROOM

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	FAC RESTRM W/IND CYL	ND85PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	**EA**	**DEADBOLT**	**B571 WITH IN-USE INDICATOR**	**626**	**SCH**
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP	FS18S	BLK	IVE
3	EA	SILENCER	319CN	GRY	IVE

HARDWARE GROUP NO. 85C – STOREROOM LOCK – INTERIOR/FACULTY RESTROOM

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	FAC RESTRM W/IND CYL	ND85PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	**EA**	**DEADBOLT**	**B571 WITH IN-USE INDICATOR**	**626**	**SCH**
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
3	EA	ACOUSTICAL GASKETING	319CN	GRY	IVE
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

© Darden Architects, Inc.

HARDWARE GROUP NO. 85E – STOREROOM LOCK – INTERIOR/FACULTY RESTROOM

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	630	IVE
1	EA	FAC RESTRM W/IND CYL	ND85PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	**EA**	**DEADBOLT**	**B571 WITH IN-USE INDICATOR**	**626**	**SCH**
1	EA	LOCK GUARD	LG12	630	IVE
1	EA	SURFACE CLOSER	7500M OUTSWING	689	NOR
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
1	EA	WEATHERSTRIPPING	188S-BK	S-BK	ZER
1	EA	DOOR BOTTOM	222APK	AL	PEM
1	EA	THRESHOLD	196A-228A-195A (SEE DETAILS)		
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

HARDWARE GROUP NO. 85R – STOREROOM LOCK - RATED INTERIOR/FACULTY RESTROOM

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	FAC RESTRM W/IND CYL	ND85PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	**EA**	**DEADBOLT**	**B571 WITH IN-USE INDICATOR**	**626**	**SCH**
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP	FS18S	BLK	IVE
1	EA	SMOKE SEALS	188S-BK	S-BK	ZER
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

INTERIOR AND EXTERIOR PANIC HARDWARE

PANIC HARDWARE GROUP LEGEND

# = INTERIOR SINGLE DOOR WITH NO CLOSER
99 = VON DUPRIN 98/99 SERIES EXIT DEVICE
#2 = **PAIR** OF DOORS WITH CLOSERS
#A = DOOR WITH ACOUSTICAL GASKETS
#AO = DOOR WITH LOW ENERGY AUTO OPENER
#C = INTERIOR DOOR, WITH **CLOSER** & HOLD OPEN
#E = **EXTERIOR** DOOR WITH CLOSER & HOLD OPEN
#EL = **ELECTRONIC LOCK**
#EO = **EXIT ONLY**
#HO = **ELECTRO-MAGNETIC DOOR STOPS**
#R = INTERIOR RATED DOOR WITH CLOSER
#S = INTERIOR STOREFRONT DOOR
#TR = TEMPERATURE RISE FIRE-RATED

Classroom Security Function "-2SI" to be used at all Fire Rated INTERIOR Classroom Doors



-2SI
Security Indicator





HARDWARE GROUP NO. 99-A - INTERIOR PANIC DEVICE / ACOUSTICAL HOLLOW METAL DOOR

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
4	EA	HW HINGE	5BB1HW 5 X 4.5 NRP	652	IVE
1	EA	PANIC HARDWARE	CDSI-PA-AX-99-NL-OP-110NL-MD/WD	626	VON
1	EA	DOOR PULL	VR910 NL	630	IVE
1	EA	RIM CYLINDER	20-057-ICX	626	SCH
1	EA	MORTISE CYLINDER	20-061-ICX XQ11-948 (DOGGING)	626	SCH
2	EA	FSIC CORE	23-030	626	SCH
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
3	EA	ACOUSTICAL GASKETING	319CN	-	PEM
1	EA	AUTO DOOR BOTTOM	412CSL	-	PEM
1	EA	SADDLE THRESHOLD	151 (verify color)	-	PEM
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

HARDWARE GROUP NO. 99-AA - PANIC DEVICE WITH ACOUSTICAL DOUBLE GASKETS

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	PANIC HARDWARE	CDSI-PA-AX-99-NL-OP-110NL-MD/WD	626	VON
1	EA	DOOR PULL	VR910 NL	630	IVE
1	EA	RIM CYLINDER	20-057-ICX	626	SCH
1	EA	MORTISE CYLINDER	20-061-ICX XQ11-948 (DOGGING)	626	SCH
2	EA	FSIC CORE	23-030	626	SCH
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
3	EA	ACOUSTICAL GASKETING	S773 (MATCH FRAME PAINT)	-	PEM
3	EA	ACOUSTICAL GASKETING	S44 (MATCH FRAME PAINT)	-	PEM
1	EA	AUTO DOOR BOTTOM	412CSL	-	PEM
1	EA	SADDLE THRESHOLD	151 (verify color)	-	PEM
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

HARDWARE GROUP NO. 99R - RATED PANIC DEVICE WITH ACOUSTICAL DOUBLE GASKETS

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	FIRE EXIT HARDWARE	AX-99L-F-2SI-17-SNB-PA	626	VON
1	EA	RIM CYLINDER	20-057-ICX	626	SCH
1	EA	ADA T-TURN RIM CYLIN	XB13-088	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	FLOOR STOP	FS18S	BLK	IVE
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

HARDWARE GROUP NO. 99R-AA - RATED PANIC DEVICE WITH ACOUSTICAL DOUBLE GASKETS

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	FIRE EXIT HARDWARE	AX-99L-F-2SI-17-SNB-PA	626	VON
1	EA	RIM CYLINDER	20-057-ICX	626	SCH
1	EA	ADA T-TURN RIM CYLIN	XB13-088	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	FLOOR STOP	FS18S	BLK	IVE
3	EA	ACOUSTICAL GASKETING	S773 (MATCH FRAME PAINT)	-	PEM
3	EA	ACOUSTICAL GASKETING	S44 (MATCH FRAME PAINT)	-	PEM
1	EA	AUTO DOOR BOTTOM	411ASL	-	PEM
1	EA	SADDLE THRESHOLD	151 (verify color)	-	PEM
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

HARDWARE SCHEDULE NOTE

NOTE: HARDWARE GROUP INCLUDES A WALL-MOUNTED KEY SWITCH (SCE 653-1414 L2) INTENDED TO ENABLE OR DISABLE THE ACCESS-CONTROL AND AUTOMATIC-OPERATOR FUNCTIONS FOR THIS OPENING. THE KEY SWITCH PROVIDES MANUAL ON/OFF CONTROL OF THE SYSTEM AND SHALL BE COORDINATED WITH THE ELECTRICAL AND LOW-VOLTAGE INTEGRATOR FOR FINAL FUNCTIONALITY

© Darden Architects, Inc.

HARDWARE GROUP NO. 99AO - EXTERIOR STOREFRONT DOOR WITH PANIC HARDWARE & AUTO OPERATOR

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	CONT. HINGE	224HD EPT	AL	IVE
1	EA	POWER TRANSFER	EPT10	689	VON
1	EA	ELEC PANIC HARDWARE	QEL+-99-NL-OP-110NL-MD/WD	626	VON
1	EA	DOOR PULL	VR910 NL	630	IVE
1	EA	MORTISE CYLINDER	20-001 114 USE W/ KEY SWITCH	626	SCH
1	EA	RIM CYLINDER	20-057-ICX	626	SCH
1	EA	MORTISE CYLINDER	20-061-ICX XQ11-948	626	SCH
2	EA	FSIC CORE	23-030	626	SCH
1	EA	DOOR PULL	VR910 NL	630	IVE
1	EA	SURFACE CLOSER	7500M OUTSWING	689	NOR
1	EA	SURF. AUTO OPERATOR	9542 SURFACE-MOUNTED WITH 9540 MOUNTING PLATE	689	LCN
1	EA	ACTUATOR, WALL MOUNT	8310-836T WIRED (EXTERIOR)	630	LCN
1	EA	ACTUATOR, WALL MOUNT	8310-836TW WIRELESS (INTERIOR)	630	LCN
1	EA	WIRELESS RECEIVER	8310-865	-	LCN
1	SET	WEATHER SEAL	SUPPLY WITH DOOR AND FRAME ASSEMBLY		
1	EA	MULLION SEAL	8780N	N	ZER
1	EA	THRESHOLD	196A-228A-195A (SEE DETAILS)		
1	EA	KEY SWITCH	653-1414 L2	630	SCE
1	EA	POWER SUPPLY	PS902 900-BBK 900-2RS-FA	LGR	VON
1	EA	FLOOR STOP	FS18S	BLK	IVE
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

HARDWARE SCHEDULE NOTE

NOTE: HARDWARE GROUP INCLUDES A WALL-MOUNTED KEY SWITCH (SCE 653-1414 L2) INTENDED TO ENABLE OR DISABLE THE ACCESS-CONTROL AND AUTOMATIC-OPERATOR FUNCTIONS FOR THIS OPENING. THE KEY SWITCH PROVIDES MANUAL ON/OFF CONTROL OF THE SYSTEM AND SHALL BE COORDINATED WITH THE ELECTRICAL AND LOW-VOLTAGE INTEGRATOR FOR FINAL FUNCTIONALITY

HARDWARE GROUP NO. 99C - INTERIOR PANIC DEVICE WITH CLOSURE

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 5 X 4.5 NRP	652	IVE
1	EA	PANIC HARDWARE	CDSI-PA-AX-99-NL-OP-110NL-MD/WD	626	VON
1	EA	DOOR PULL	VR910 NL	630	IVE
1	EA	RIM CYLINDER	20-057-ICX	626	SCH
1	EA	MORTISE CYLINDER	20-061-ICX XQ11-948 (DOGGING)	626	SCH
2	EA	FSIC CORE	23-030	626	SCH
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
3	EA	DOOR GASKETS	BY STOREFRONT	-	-
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

NOTES:

1) At Hollow Metal Doors and Frames, PROVIDE the following additional hardware:

3	EA	SILENCER	SR64	GRY	IVE

HARDWARE GROUP NO. 99E - EXTERIOR DOOR WITH PANIC HARDWARE :

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	CONT. HINGE	224HD	AL	IVE
1	EA	PANIC HARDWARE	CDSI-PA-AX-99-NL-OP-110NL-MD/WD	626	VON
1	EA	DOOR PULL	VR910 NL	630	IVE
1	EA	RIM CYLINDER	20-057-ICX	626	SCH
1	EA	MORTISE CYLINDER	20-061-ICX XQ11-948 (DOGGING)	626	SCH
2	EA	FSIC CORE	23-030	626	SCH
1	EA	SURFACE CLOSER	7500M OUTSWING	689	NOR
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
1	SET	WEATHER SEAL	SUPPLY WITH DOOR AND FRAME ASSEMBLY		
1	EA	THRESHOLD	196A-228A-195A (SEE DETAILS)		
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

NOTES:

1) At Hollow Metal Doors and Frames, PROVIDE the following additional hardware:

1	EA	WEATHERSTRIPPING	188S-BK	S-BK	ZER
1	EA	DOOR BOTTOM	222APK	AL	PEM

HARDWARE GROUP NO. 99EL – NOT USED

HARDWARE GROUP NO. 99EO - EXTERIOR DOOR "EXIT ONLY" WITH PANIC HARDWARE

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	CONT. HINGE	224HD	AL	IVE
1	EA	PANIC HARDWARE	CDSI-PA-AX-99-EO-PA	626	VON
1	EA	SURFACE CLOSER	7500M OUTSWING	689	NOR
1	EA	FLOOR STOP	FS18S	BLK	IVE
1	SET	WEATHER SEAL	SUPPLY WITH DOOR AND FRAME ASSEMBLY		
1	EA	THRESHOLD	196A-228A-195A (SEE DETAILS)	-	PEM
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

HARDWARE GROUP NO. 99EOR - EXTERIOR RATED DOOR “EXIT ONLY” WITH PANIC HARDWARE

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	CONT. HINGE	224HD	AL	IVE
1	EA	PANIC HARDWARE	CDSI-PA-AX-99-F-EO-PA Fire Rated Hardware, where occurs See plans for rated wall locations	626	VON
1	EA	SURFACE CLOSER	7500M OUTSWING	689	NOR
1	EA	FLOOR STOP	FS18S	BLK	IVE
1	SET	WEATHER SEAL	SUPPLY WITH DOOR AND FRAME ASSEMBLY		
1	EA	THRESHOLD	196A-228A-195A (SEE DETAILS)		
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

HARDWARE GROUP NO. 992-A - INTERIOR PANIC DEVICE / ACOUSTICAL HOLLOW METAL DOOR

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
6	EA	HW HINGE	5BB1HW 5 X 4.5 NRP	652	IVE
1	EA	KEYED REMOVABLE MULLION	KR9954-154STAB-MT54	689	VON
2	EA	EXIT HARDWARE	CDSI-PA-AX-99-L-2SI-17-PA	626	VON
1	EA	RIM CYLINDER	20-057-ICX (LEVER)	626	SCH
2	EA	MORTISE CYLINDER	20-061-ICX (CD-)	626	SCH
1	EA	FSIC MORT. CYL.	20-700 114 (MULLION)	626	SCH
5	EA	FSIC CORE	23-030	626	SCH
2	EA	SURFACE CLOSER	7500M	689	NOR
2	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
3	EA	ACOUSTICAL GASKETING	319CN	-	PEM
1	EA	MULLION SEAL	8780N	N	ZER
2	EA	AUTO DOOR BOTTOM	412CSL	-	PEM
1	EA	SADDLE THRESHOLD	151 (verify color)	-	PEM
2	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

HARDWARE GROUP NO. 992AO - EXTERIOR PAIR OF STOREFRONT DOORS WITH PANIC HARDWARE & AUTO OPERATOR

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	CONT. HINGE	224HD	AL	IVE
1	EA	CONT. HINGE	224HD EPT	AL	IVE
1	EA	POWER TRANSFER	EPT10	689	VON
1	EA	KEYED REMOVABLE MULLION	KR4954-154STAB-MT54	689	VON
1	EA	PANIC HARDWARE	CDSI-PA-AX-99-EO-PA	626	VON
1	EA	ELEC PANIC HARDWARE	QEL+-99-NL-OP 110NL-MD/WD	626	VON
1	EA	MORTISE CYLINDER	20-001 114 USE W/ KEY SWITCH	626	SCH
1	EA	RIM CYLINDER	20-057-ICX	626	SCH
1	EA	MORTISE CYLINDER	20-061-ICX XQ11-948 (DOGGING)	626	SCH
1	EA	FSIC MORT. CYL.	20-700 114 (MULLION)	626	SCH
2	EA	FSIC CORE	23-030	626	SCH
1	EA	DOOR PULL	VR910 DT	630	IVE
1	EA	DOOR PULL	VR910 NL	630	IVE
1	EA	SURFACE CLOSER	7500M OUTSWING	689	NOR
1	EA	SURF. AUTO OPERATOR	9542 SURFACE-MOUNTED WITH 9540 MOUNTING PLATE	689	LCN
1	EA	ACTUATOR, WALL MOUNT	8310-836T WIRED (EXTERIOR)	630	LCN
1	EA	ACTUATOR, WALL MOUNT	8310-836TW WIRELESS (INTERIOR)	630	LCN

© Darden Architects, Inc.

1	EA	WIRELESS RECEIVER	8310-865	-	LCN
1	SET	WEATHER SEAL	SUPPLY WITH DOOR AND FRAME ASSEMBLY		
1	EA	MULLION SEAL	8780N	N	ZER
1	EA	THRESHOLD	196A-228A-195A (SEE DETAILS)		
1	EA	KEY SWITCH	653-1414 L2	630	SCE
1	EA	POWER SUPPLY	PS902 900-BBK 900-2RS-FA	LGR	VON
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
1	EA	FLOOR STOP	FS18S	BLK	IVE

NOTES:
1) Install the FLOOR STOP/holder at the inactive leaf
2) The Auto-Operator is to be held open by using the key switch.
3) At Hollow Metal Doors and Frames, PROVIDE the following additional hardware:

1	EA	WEATHERSTRIPPING	188S-BK	S-BK	ZER
1	EA	DOOR BOTTOM	222APK	AL	PEM

HARDWARE GROUP NO. 992C - PAIR OF HM DOOR WITH PANIC HARDWARE

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 5 X 4.5 NRP	652	IVE
1	EA	KEYED REMOVABLE MULLION	KR4954-154STAB -MT54	689	VON
1	EA	PANIC HARDWARE	CDSI-PA-AX-99-EO-PA	626	VON
1	EA	PANIC HARDWARE	CDSI-PA-AX-99-NL-OP-110NL-MD/WD	626	VON
1	EA	DOOR PULL	VR910 NL	630	IVE
1	EA	RIM CYLINDER	20-057-ICX (NIGHT LATCH)	626	SCH
2	EA	MORTISE CYLINDER	20-061-ICX XQ11-948 (DOGGING)	626	SCH
1	EA	FSIC MORT. CYL.	20-700 114 (MULLION)	626	SCH
4	EA	FSIC CORE	23-030	626	SCH
2	EA	SURFACE CLOSER	7500M	689	NOR
2	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
3	EA	DOOR GASKETS	BY STOREFRONT	-	-
1	EA	MULLION SEAL	8780N	N	ZER
2	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

NOTES:
1) At Hollow Metal Doors and Frames, PROVIDE the following additional hardware:

3	EA	SILENCER	SR64	GRY	IVE

HARDWARE GROUP NO. 992CCD – CROSS CORRIDOR DOOR WITH HOLD OPEN

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
2	EA	FIRE/LIFE WALL MAG	SEM7820 (Floor Mounted)	689	LCN
2	EA	PANIC HARDWARE	**AX9949-EO-LBL-PA** (Concealed vertical cable device with lever)	626	VON
-	EA	CLOSERS	BY STOREFRONT (Calibre Double Acting Concealed Overhead)	-	-
-	EA	PIVOT	BY STOREFRONT (Bottom Center Pivot)	-	-
-	EA	SMOKE SEALS	BY STOREFRONT	-	-

HARDWARE GROUP NO. 992E - EXTERIOR PAIR OF DOORS WITH PANIC HARDWARE

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
2	EA	CONT. HINGE	224HD	AL	IVE
1	EA	KEYED REMOVABLE MULLION	KR4954-154STAB -MT54	689	VON
1	EA	PANIC HARDWARE	CDSI-PA-AX-99-EO-PA	626	VON
1	EA	PANIC HARDWARE	CDSI-PA-AX-99-NL-OP-110NL-MD/WD	626	VON
1	EA	RIM CYLINDER	20-057-ICX (NL)	626	SCH
2	EA	MORTISE CYLINDER	20-061-ICX XQ11-948 (DOGGING)	626	SCH
1	EA	FSIC MORT. CYL.	20-700 114 (MULLION)	626	SCH
3	EA	FSIC CORE	23-030	626	SCH
1	EA	DOOR PULL	VR910 DT	630	IVE
1	EA	DOOR PULL	VR910 NL	630	IVE
2	EA	SURFACE CLOSER	7500M OUTSWING	689	NOR
2	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
1	SET	WEATHER SEAL	SUPPLY WITH DOOR AND FRAME ASSEMBLY		
1	EA	MULLION SEAL	8780N	N	ZER
1	EA	THRESHOLD	196A-228A-195A (SEE DETAILS)		
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

NOTES:
1) At Hollow Metal Doors and Frames, PROVIDE the following additional hardware:

3	EA	WEATHERSTRIPPING	319CN	-	PEM
2	EA	DOOR BOTTOM	222APK	AL	PEM

HARDWARE GROUP NO. 992E-A - EXTERIOR PAIR OF DOORS WITH PANIC HARDWARE - ACOUSTICAL

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
2	EA	CONT. HINGE	224HD	AL	IVE
1	EA	KEYED REMOVABLE MULLION	KR4954-154STAB -MT54	689	VON
1	EA	PANIC HARDWARE	CDSI-PA-AX-99-EO-PA	626	VON
1	EA	PANIC HARDWARE	CDSI-PA-AX-99-NL-OP-110NL-MD/WD	626	VON
1	EA	RIM CYLINDER	20-057-ICX (NL)	626	SCH
2	EA	MORTISE CYLINDER	20-061-ICX XQ11-948 (DOGGING)	626	SCH
1	EA	FSIC MORT. CYL.	20-700 114 (MULLION)	626	SCH
3	EA	FSIC CORE	23-030	626	SCH
1	EA	DOOR PULL	VR910 DT	630	IVE
1	EA	DOOR PULL	VR910 NL	630	IVE

2	EA	SURFACE CLOSER	7500M OUTSWING	689	NOR
2	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
1	SET	WEATHER SEAL	SUPPLY WITH DOOR AND FRAME ASSEMBLY		
1	EA	MULLION SEAL	8780N	N	ZER
1	EA	THRESHOLD	196A-228A-195A (SEE DETAILS)		
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

NOTES:
1) At Hollow Metal Doors and Frames, PROVIDE the following additional hardware:

3	EA	ACOUSTICAL GASKETING	350CSR	-	PEM
1	EA	AUTO DOOR BOTTOM	412CSL	-	PEM
2	EA	DOOR BOTTOM	222APK	AL	PEM

HARDWARE GROUP NO. 992EO - EXTERIOR PAIR OF DOORS "EXIT ONLY" WITH PANIC HARDWARE

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
2	EA	CONT. HINGE	224HD	AL	IVE
1	EA	KEYED REMOVABLE MULLION	KR4954-154STAB -MT54	689	VON
2	EA	PANIC HARDWARE	CDSI-PA-AX-99-EO-PA	626	VON
1	EA	MORTISE CYLINDER	20-057-ICX	626	SCH
2	EA	MORTISE CYLINDER	20-061-ICX XQ11-948 (DOGGING)	626	SCH
1	EA	FSIC MORT. CYL.	20-700 114 (MULLION)	626	SCH
2	EA	FSIC CORE	23-030	626	SCH
2	EA	SURFACE CLOSER	7500M OUTSWING	689	NOR
2	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
1	SET	WEATHER SEAL	SUPPLY WITH DOOR AND FRAME ASSEMBLY		
1	EA	MULLION SEAL	8780N	N	ZER
1	EA	THRESHOLD	196A-228A-195A (SEE DETAILS)		
2	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

OMITTED IN PHASE 3, SEE RFP-009

© Darden Architects, Inc.

HARDWARE GROUP NO. 982E-XO- EXTERIOR KITCHEN PAIR OF DOORS WITH PANIC HARDWARE

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
2	EA	CONT. HINGE	224HD	AL	IVE
1	EA	PANIC HARDWARE	CDSI-PA-AX-98-NL-OP-110NL-MD/WD	626	VON
1	EA	RIM CYLINDER	20-057-ICX (NL)	626	SCH
2	EA	MORTISE CYLINDER	20-061-ICX XQ11-948 (DOGGING)	626	SCH
1	EA	FSIC MORT. CYL.	20-700 114 (MULLION)	626	SCH
2	EA	FSIC CORE	23-030	626	SCH
1	EA	DOOR PULL	VR910 NL	630	IVE
2	EA	SURFACE CLOSER	7500M OUTSWING	689	NOR
2	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
1	SET	WEATHER SEAL	SUPPLY WITH DOOR AND FRAME ASSEMBLY		
1	EA	MULLION SEAL	8780N	N	ZER
1	EA	THRESHOLD	196A-228A-195A (SEE DETAILS)		
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	SET	AUTO FLUSH BOLT	FB41P	630	IVE
1	EA	DUSTPROOF STRIKE	DP2	626	IVE
1	EA	COORDINATOR	COR X FL	628	IVE

NOTES:
1) At Hollow Metal Doors and Frames, PROVIDE the following additional hardware:

3	EA	WEATHERSTRIPPING	319CN	-	PEM
2	EA	DOOR BOTTOM	222APK	AL	PEM

HARDWARE GROUP NO. 992NL - EXTERIOR PAIR OF DOORS “NIGHT LATCH” WITH PANIC HARDWARE

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
2	EA	CONT. HINGE	224HD	AL	IVE
1	EA	KEYED REMOVABLE MULLION	KR4954-154STAB -MT54	689	VON
1	EA	PANIC HARDWARE	CDSI-PA-AX-99-EO-PA	626	VON
1	EA	PANIC HARDWARE	CDSI-PA-AX-99-NL-990-PA	626	VON
1	EA	MORTISE CYLINDER	20-057-ICX	626	SCH
2	EA	MORTISE CYLINDER	20-061-ICX XQ11-948 (DOGGING)	626	SCH
1	EA	FSIC MORT. CYL.	20-700 114 (MULLION)	626	SCH
2	EA	FSIC CORE	23-030	626	SCH
3	EA	FSIC CORE	23-030	626	SCH
2	EA	SURFACE CLOSER	7500M OUTSWING	689	NOR
2	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
1	SET	WEATHER SEAL	SUPPLY WITH DOOR AND FRAME ASSEMBLY		
1	EA	MULLION SEAL	8780N	N	ZER
1	EA	THRESHOLD	196A-228A-195A (SEE DETAILS)		
2	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE

HARDWARE GROUP NO. 99R - FIRE RATED INTERIOR, EXIT DEVICE FOR CLASSROOM DOORS XB13-088 is an ADA Thumb-Turn Rim Cylinder

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	FIRE EXIT HARDWARE	AX-99-L-F-2SI-17-SNB-PA	626	VON
1	EA	RIM CYLINDER	20-057-ICX	626	SCH
1	EA	ADA T-TURN RIM CYLIN	XB13-088	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	SURFACE CLOSER	7500M	689	NOR

1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP	FS18S	BLK	IVE
1	EA	SMOKE SEALS	188S-BK	S-BK	ZER

HARDWARE GROUP NO. 99R-A - FIRE RATED ACOUSTICAL INTERIOR, EXIT DEVICE CLASSROOM DOOR

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	FIRE EXIT HARDWARE	AX-99-L-F-2SI-17-SNB-PA	626	VON
1	EA	RIM CYLINDER	20-057-ICX	626	SCH
1	EA	ADA T-TURN RIM CYLIN	XB13-088	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP	FS18S	BLK	IVE
3	EA	ACOUSTICAL GASKETING	350CSR	-	PEM
1	EA	AUTO DOOR BOTTOM	412CSL	-	PEM
1	EA	SADDLE THRESHOLD	151 (verify color)	-	PEM

HARDWARE GROUP NO. 99R-60 – 60-MINUTE FIRE-RATED INTERIOR, EXIT DEVICE (OPENING L123B)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
3	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	FIRE EXIT HARDWARE	AX-99-L-F-2SI-17-SNB-PA	626	VON
1	EA	RIM CYLINDER	20-057-ICX	626	SCH
1	EA	ADA T-TURN RIM CYLIN	XB13-088	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP	FS18S	BLK	IVE
1	EA	SMOKE AND FIRE GASKETING	188S-BK (UL 10C, 60-MINUTE LISTED)	S-BK	ZER

NOTE: All hardware in this group shall be labeled and listed for a 60-minute fire door assembly (positive pressure, UL 10C), including the fire exit hardware, hinges, closer and gasketing. Acoustical gaskets, automatic door bottoms and saddle thresholds are not used at this opening. Floor transition at the opening per Detail E11-X/A416. Do not provide hold-open devices.

HARDWARE GROUP NO. 992R – FIRE-RATED INTERIOR, EXIT DEVICE FOR CORRIDOR DOORS

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
10	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	FIRE EXIT HARDWARE	AX-99-L-F-2SI-17-SNB-PA	626	VON
1	EA	FIRE EXIT HARDWARE	AX-99-EO-F-SNB-PA	626	VON
2	EA	RIM CYLINDER	20-057-ICX	626	SCH
1	EA	MORTISE CYLINDER	20-061-ICX	626	SCH
3	EA	FSIC CORE	23-030	626	SCH
2	EA	SURFACE CLOSER	7500M	689	NOR
2	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	SMOKE SEALS	188S-BK	S-BK	ZER
2	EA	FLOOR STOP	FS18S	BLK	IVE
1	EA	KEYED REMOVABLE MULLION	KR9954-154STAB-MT54	689	VON
1	EA	MULLION SEAL	8780N	N	ZER

NOTE: Verify the Hardware Group with the supplier and ensure that the hardware components are compatible with the system.

HARDWARE GROUP NO. 99R-HO – FIRE-RATED INTERIOR, EXIT DEVICE WITH FIRE ALARM WALL MAG

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
4	EA	HW HINGE	5BB1HW 5 X 4.5 NRP	652	IVE
1	**EA**	**PANIC HARDWARE**	**AX-99-L-F-990-PA**	**626**	**VON**
1	EA	MORTISE CYLINDER	20-061-ICX	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP	FS18S	BLK	IVE
1	EA	FIRE/LIFE WALL MAG	SEM7850 WALL RECESSED	689	LCN
1	EA	SMOKE SEALS	188S-BK	S-BK	ZER

HARDWARE GROUP NO. 99R-QM - FIRE-RATED INTERIOR, EXIT DEVICE WITH FIRE ALARM WALL MAG

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
4	EA	HW HINGE	5BB1HW 5 X 4.5 NRP	652	IVE
1	**EA**	**PANIC HARDWARE**	**QM-99-L-F-990-PA**	**626**	**VON**
1	EA	MORTISE CYLINDER	20-061-ICX	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP	FS18S	BLK	IVE
1	EA	FIRE/LIFE WALL MAG	SEM7850 WALL RECESSED	689	LCN
1	EA	SMOKE SEALS	188S-BK	S-BK	ZER

HARDWARE GROUP NO. 992R-HO – FIRE-RATED INTERIOR, EXIT DEVICE WITH FIRE ALARM WALL MAGS

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
8	EA	HW HINGE	5BB1HW 5 X 4.5 NRP	652	IVE
1	**EA**	**PANIC HARDWARE**	**AX-99-EO-F-PA**	**626**	**VON**
1	**EA**	**PANIC HARDWARE**	**AX-99-L-F-990-PA**	**626**	**VON**
1	EA	MORTISE CYLINDER	20-061-ICX	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
2	EA	SURFACE CLOSER	7500M	689	NOR
2	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
2	EA	FLOOR STOP	FS18S	BLK	IVE
2	EA	FIRE/LIFE WALL MAG	SEM7850 WALL RECESSED	689	LCN
1	EA	SMOKE SEALS	188S-BK	S-BK	ZER
1	EA	KEYED REMOVABLE MULLION	KR9954-154STAB-MT54	689	VON
1	EA	MULLION SEAL	8780N	N	ZER

© Darden Architects, Inc.

HARDWARE GROUP NO. 99TR - INTERIOR TEMPERATURE RISE FIRE-RATED DOOR WITH PANIC HARDWARE

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
10	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
1	EA	FIRE EXIT HARDWARE	AX-99-L-F-2SI-17-SNB-PA	626	VON
2	EA	RIM CYLINDER	20-057-ICX	626	SCH
2	EA	FSIC CORE	23-030	626	SCH
1	EA	SURFACE CLOSER	4040XP (UL TESTED ASSEMBLY CLOSURE)	689	LCN
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	SMOKE SEALS	188S-BK	S-BK	ZER
1	EA	FLOOR STOP	FS18S	BLK	IVE

NOTE: Verify the Hardware Group with the supplier and ensure that the hardware components are compatible with the system. Provide the Closure listed with the UL system; if possible use the, Norton 7500 Series, which is a District Standard.

HARDWARE GROUP NO. 992TR - INTERIOR PAIR OF TEMPERATURE RISE FIRE-RATED DOORS WITH PANIC HARDWARE

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
5	EA	HW HINGE	5BB1HW 4.5 X 4.5 NRP	652	IVE
2	EA	FIRE EXIT HARDWARE	AX-99-L-F-2SI-17-SNB-PA	626	VON
2	EA	RIM CYLINDER	20-057-ICX	626	SCH
1	EA	MORTISE CYLINDER	20-061-ICX	626	SCH
3	EA	FSIC CORE	23-030	626	SCH
2	EA	SURFACE CLOSER	4040XP (UL TESTED ASSEMBLY CLOSURE)	689	LCN
2	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	SMOKE SEALS	188S-BK	S-BK	ZER
2	EA	FLOOR STOP	FS18S	BLK	IVE
1	EA	KEYED REMOVABLE MULLION	KR9954-154STAB-MT54	689	VON
1	EA	MULLION SEAL	8780N	N	ZER

NOTE: Verify the Hardware Group with the supplier and ensure that the hardware components are compatible with the system. Provide the Closure listed with the UL system; if possible use the, Norton 7500 Series, which is a District Standard.

EXTERIOR SITE DOORS AND GATES

HARDWARE GROUP NO. 21G – EXTERIOR FIRE DEPARTMENT GATE PADLOCK

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PADLOCK	ABUS 83/45 C-L WITH SCHLAGE CYLINDER W/ GALV. STEEL CHAIN FIRE DEPARTMENT ACCESS LOCK DETERMINE WITH THE DISTRICT DEPARTMENT THE STANDARD METHOD OF SECURING THE LOCK TO THE GATE	- SATIN BRASS	ABUS

HARDWARE GROUP NO. 22G – EXTERIOR GATE - PANIC DEVICE / NIGHT LATCH WITH HEX DOGGING

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	HINGE	LOXINOX MAMMOTH 180	SILVER	LOX
1	EA	PANIC HARDWARE	AX22-210NL SP28-299 HEX-KEY DOGGING-GBK	626	VON
1	EA	RIM CYLINDER HOUSING	20-079 WITHOUT CORE	626	SCH
1	EA	CONSTRUCTION CORE	SUPPLIED BY DISTRICT	-	SCH
1	EA	PERMANENT CYLINDER	SUPPLIED BY DISTRICT	626	SCH
1	EA	DOORSTOP	FS18S	BLK	IVE

HARDWARE GROUP NO. 23G – PADLOCK – SINGLE SITE GATE

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PADLOCK	ABUS 83/45 C-L WITH SCHLAGE CYLINDER	-	ABUS
1	EA	FSIC CORE	23-030	626	SCH

HARDWARE GROUP NO. 232G – PADLOCK – PAIR SITE GATES

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
2	EA	PADLOCK	ABUS 83/45 C-L WITH SCHLAGE CYLINDER	-	ABUS
2	EA	FSIC CORE	23-030	626	SCH

ACCESS

HARDWARE GROUP NO. 600M – DEADBOLT LOCK – BLEACHER GATE (BLDG M – GYM)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	DEADBOLT LOCK	B662P	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	CONTINUOUS HINGE	112XY (cut to match gate height)	-	IVES
1	EA	WALL STOP-HOLDER	3EHX5	-	GRR

HARDWARE GROUP NO. 66G – DEADBOLT LOCK – SINGLE SITE GATE

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	DEADBOLT LOCK	B662P	626	SCH
1	EA	FSIC CORE	23-030	626	SCH

NOTE: THESE GATES ARE LOCKED OPEN AND CLOSED

HARDWARE GROUP NO. 662G – DEADBOLT LOCK – PAIR SITE GATES

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
2	EA	DEADBOLT LOCK	B662P	626	SCH
2	EA	FSIC CORE	23-030	626	SCH
2	EA	HINGE CLOSER	MAMMOTH-180	BLACK	LOC
1	EA	DOOR PULL	VR910 DT (OUTSIDE FACE OF ACTIVE LEAF ONLY)	630	IVE

NOTE: THESE GATES ARE LOCKED OPEN AND CLOSED

HARDWARE GROUP NO. 662PG – DEADBOLT LOCK AT PAIRED POOL GATES – ORNAMENTAL IRON

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
2	EA	DEADBOLT LOCK	B662P	626	SCH
4	EA	FSIC CORE	23-030	626	SCH
2	EA	HINGE CLOSER	MAMMOTH-180	BLACK	LOC
2	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES

NOTE: THESE GATES ARE LOCKED OPEN AND CLOSED

HARDWARE GROUP NO. 70G – CLASSROOM LOCK – SINGLE SITE GATE AT TENNIS COURTS

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	CLASSROOM LOCK	ND70PD SPA	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	KICK PLATE	SEE GATE DETAILS	-	-
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
1	EA	CLOSER	MAMMOTH-180	SILVER	LOC

HARDWARE GROUP NO. 98G - SINGLE SITE GATE - HOLLOW METAL DOOR WITH PANIC HARDWARE

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	CONT. HINGE	224HD	AL	IVE
1	EA	PANIC HARDWARE	CDSI-PA-AX-98-NL-OP-110NL-MD/WD	626	VON
1	EA	RIM CYLINDER	20-057-ICX	626	SCH
1	EA	MORTISE CYLINDER	20-061-ICX XQ11-948 (DOGGING)	626	SCH
2	EA	FSIC CORE	23-030	626	SCH
1	EA	DOOR PULL	VR910 NL	630	IVE
1	EA	SURFACE CLOSER	7500M	689	NOR
1	EA	KICK PLATE	8400 10" X 2" LDW B-CS	630	IVE
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
3	EA	SILENCER	SR64	GRY	IVE

HARDWARE GROUP NO. 98TG - SINGLE SITE GATE – CHAIN LINK TENNIS COURT GATE

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
1	EA	PANIC HARDWARE	CDSI-PA-AX-98-NL-OP-110NL-MD/WD	626	VON
1	EA	RIM CYLINDER	20-057-ICX	626	SCH
1	EA	MORTISE CYLINDER	20-061-ICX XQ11-948 (DOGGING)	626	SCH
2	EA	FSIC CORE	23-030	626	SCH
1	EA	DOOR PULL	VR910 NL	630	IVE
1	EA	KICK PLATE	SEE GATE DETAILS	-	-
1	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
1	EA	CLOSER	MAMMOTH-180	SILVER	LOC

HARDWARE GROUP NO. 982G - PAIR SITE GATE - HOLLOW METAL DOOR WITH PANIC HARDWARE

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
2	EA	CONT. HINGE	224HD	AL	IVE
1	EA	PANIC HARDWARE	98-NL-OP-110NL-MD/WD	626	VON
1	EA	RIM CYLINDER	20-057-ICX	626	SCH
1	EA	FSIC CORE	23-030	626	SCH
1	EA	DOOR PULL	VR910 NL	630	IVE
2	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
6	EA	SILENCER	SR64	GRY	IVE
1	SET	AUTO FLUSH BOLT	FB41P	630	IVE

1	EA	DUSTPROOF STRIKE	DP2	626	IVE
1	EA	MEETING STILE	328AA	AA	ZER

HARDWARE GROUP NO. 982G-KR - PAIR SITE GATE - HOLLOW METAL DOORS AND FRAME IN CMU WALL WITH PANIC HARDWARE AND KEYED REMOVABLE MULLION (OPENING SG57)

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
2	EA	CONT. HINGE	224HD	AL	IVE
1	EA	KEYED REMOVABLE MULLION	KR4954-154STAB-MT54	689	VON
1	EA	PANIC HARDWARE	98-EO	626	VON
1	EA	PANIC HARDWARE	98-NL-OP-110NL-MD/WD	626	VON
1	EA	RIM CYLINDER	20-057-ICX	626	SCH
1	EA	FSIC MORT. CYL.	20-700 114 (MULLION)	626	SCH
2	EA	FSIC CORE	23-030	626	SCH
1	EA	DOOR PULL	VR910 NL	630	IVE
2	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES
1	EA	MULLION SEAL	8780N	N	ZER
6	EA	SILENCER	SR64	GRY	IVE

NOTE: Hollow metal frame and pair of hollow metal doors in the CMU wall, with keyed removable mullion. Each leaf has a rim exit device. Hardware is the same as Hardware Group 982G except that the automatic flush bolts, dustproof strike and meeting stile astragal are replaced by the keyed removable mullion and mullion seal.

HARDWARE GROUP NO. 982PG - EXTERIOR POOL GATE WITH PANIC HARDWARE W/ VANDAL PULLS

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
2	EA	HINGE CLOSER	LOXINOX MAMMOTH 180	SILVER	LOX
1	EA	MULLION	SEE DETAILS	-	-
1	EA	PANIC HARDWARE	CDSI-PA-AX-98-EO-PA	626	VON
1	EA	PANIC HARDWARE	CDSI-PA-AX-98-NL-OP-110NL-MD/WD	626	VON
1	EA	RIM CYLINDER	20-057-ICX (NL)	626	SCH
2	EA	MORTISE CYLINDER	20-061-ICX XQ11-948 (DOGGING)	626	SCH
3	EA	FSIC CORE	23-030	626	SCH
1	EA	DOOR PU-LL	VR910 DT	630	IVE
1	EA	DOOR PULL	VR910 NL	630	IVE
2	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES

HARDWARE GROUP NO. 982GL - EXTERIOR POOL GATE WITH PANIC HARDWARE W/ LEVER PULLS

QTY		DESCRIPTION	CATALOG NUMBER	FINISH	MFR
2	EA	HINGE CLOSER	LOXINOX MAMMOTH 180	SILVER	LOX
1	EA	MULLION	SEE DETAILS	-	-
2	EA	PANIC HARDWARE	CDSI-PA-AX-98-L-996L-06	626	VON
2	EA	RIM CYLINDER	20-057-ICX	626	SCH
2	EA	MORTISE CYLINDER	20-061-ICX XQ11-948 (DOGGING)	626	SCH
4	EA	FSIC CORE	23-030	626	SCH
2	EA	FLOOR STOP / HOLDER	FS42 W/ 1268CK TRIMCO PLATE ANCHOR	626	IVES

HARDWARE GROUP OPENING SCHEDULE – BUILDING L (AD12)

The following schedule lists the Hardware Groups used in Building L and the openings at which they occur, based on Sheet X/A403 – Opening Schedules as revised by Addendum No. 12.

Hardware Groups shown in gray in this Section are not used in this Project and are included for reference only.

Where this schedule and Sheet X/A403 conflict, notify the Architect before ordering hardware.

Hardware Group	Openings (Room)	Qty
70-AA	L124 a (Drama Room); L124B a (Drama Storage); L126A a (Live Room); L126B a (Control); L126C a (Amp); L203 a (Control); L203 e (Control)	7
70C-A	L103 a (Women); L105 a (Men); L132 a (Girls); L133 a (Boys)	4
73	L116A a (Restroom); L118A a (Restroom)	2
73-A	L116 a (Dressing Rm); L118 a (Dressing Rm)	2
78C	L126 a (Vestibule)	1
80	L104 a (Custodial); L124 b (Drama Room); L126D a (Storage); L128 e (Band/Instrumental Music); L128F a (Band Equipment Storage); L128F b (Band Equipment Storage); L129 e (Choir/Vocal Music); L131 a (Custodial)	8
80-AA	L108 a (IDF); L114 c (Ticket Booth); L124A a (Drama Office); L128A a (Music Office); L128G a (AV); L129A a (AV/Storage); L129C b (Music Office); L208 a (AV Equipment)	8
80C	L128B a (Sheet Music); L128C a (Color Guard Storage); L128D a (Band Uniform Storage); L129B a (Sheet Music Storage); L129D a (Robe Storage)	5
80E	L127 a (Mechanical)	1
99-A	L106 a (Vestibule); L112 a (Vestibule); L113 a (Vestibule); L205 a (Mechanical); L206 a (Stair)	5
99-AA	L107 a (Stairs); L115 a (Black Box Theater); L115 b (Black Box Theater)	3
99R-A	L115 e (Black Box Theater; 20-minute, refer to AD12-A31)	1
99E	L117 a (Backstage Corridor); L120 a (Electrical); L122 a (Elevator Equipment); L128 b (Band/Instrumental Music); L129 a (Choir/Vocal Music)	5
99R-60	L123 b (Scene/Wood Shop)	1
99R-QM	L115 d (Black Box Theater); L117 b (Backstage Corridor)	2
992-A	L124B b (Drama Storage); L128 a (Band/Instrumental Music); L128E a (Percussion Room/Storage); L129 d (Choir/Vocal Music)	4
992AO	L101 c (Lobby); L130 b (Lobby)	2
992C	L125 c (Corridor)	1
992E	L101 b (Lobby); L122B a (Corridor); L125 b (Corridor); L130 d (Lobby)	4
992E-A	L123 c (Scene/Wood Shop); L128E c (Percussion Room/Storage)	2
992R-HO	L122B b (Corridor)	1
None	L115c (Black Box Theater; 20-minute) and L123a (Scene/Wood Shop; 60-minute): fire-rated coiling doors, and L123d (Scene/Wood Shop): coiling door; hardware, operators and the FireFly fire alarm release per Section 08 33 00 – COILING DOORS (refer to AD12-A07). L121a (Elevator) and L221 (Elevator): hoistway doors by the elevator manufacturer.	–

Hardware Group	Openings (Room)	Qty
232G	SG55 (large pair of ornamental metal swing gates) – padlocks	1
662G	SG58 (pair of ornamental metal site gates, accessible gate) – deadbolts and hinge-closers; locked open or closed by school staff	1
982G-KR	SG57 (pair of hollow metal doors and frame in CMU wall, with keyed removable mullion)	1
Total	**Building L door openings with Hardware Groups (69) and site gates (3)**	**72**

END OF SECTION